



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-146A LARGE TUBING CUTTER

Bends tubing up to 1/2" (13mm) O.D.
For copper & brass tubing & brake lines.



OT-146B TUBING BENDER

Bends tubing up to 5/16" (8mm) O.D.
For copper & brass tubing, brake lines and Bundy welding tube.



OT-130 A/C FUEL LINE SPRING LOCK COUPLING TOOL SET

OT-130A: A/C FUEL LINE SPRING LOCK COUPLING TOOL
OT-130B: FUEL LINE DISCONNECT TOOL



OT-130A A/C FUEL LINE SPRING LOCK COUPLING TOOL

For Ford sizes A=3/4", B=5/8", C=1/2", D=7/8".
Easily releases locking couplings on fuel & air conditioning lines.
Applications:
Ford 1981 to current, Chrysler LH series.
CAUTION Release system pressure before using this tool.



OT-130B FUEL LINE DISCONNECT TOOL

Fit sizes E=3/8", F=5/16".
Releases locking couplings on 5/16" and 3/8" fuel lines.
Applications:
GM 1989 to current, Ford 1990 to current, Mazda some models 1990 to current.
Chrysler fuel injection models (except imports).
CAUTION Release system pressure before using this tool.



OT-130C

FUEL & A/C LINE COUPLING AND DISCONNECT TOOL SET

OT-130A: A/C FUEL LINE SPRING LOCK COUPLING TOOL

OT-130B: FUEL LINE DISCONNECT TOOL

OT-235-06: FUEL LINE COUPLING TOOL



OT-130D

FUEL & A/C LINE COUPLING AND DISCONNECT TOOL SET

OT-130A: A/C FUEL LINE SPRING LOCK COUPLING TOOL

OT-130B: FUEL LINE DISCONNECT TOOL

OT-235-06: FUEL LINE COUPLING TOOL

OT-233A-01: FORD & GM QUICK DISCONNECT TOOL



OT-142

BELT TYPE BATTERY CARRIER

Designed to easily carry 6 and 12 volt post or side terminal batteries.

Serrated jaws with acid-resistant insulated strap for secure grip.



OT-210

OPENING SINGLE ENDED RATCHET WRENCH

Can be used on pneumatic & hydraulic connections such as brake pipes.

SIZE: 10mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm, 22mm, 24mm, 27mm, 30mm, 32mm.



OT-210A

OPENING SINGLE ENDED RATCHET WRENCH

Can be used on pneumatic & hydraulic connections such as brake pipes.

SIZE: 10mm, 11mm, 12mm, 13mm, 14mm, 17mm, 19mm, 22mm, 24mm, 27mm, 30mm, 32mm.



**OT-210-6PCS
6PC OPENING SINGLE ENDED
RATCHET WRENCH**

Can be used on pneumatic & hydraulic connections
such as brake pipes.

SIZE: 10mm, 11mm, 13mm, 17mm, 19mm, 22mm



**OT-222
CHANGEABLE SPANNER TORQUE WRENCH
CLICK TYPE**

6PC Spanner size: 17, 22, 24, 26, 27, 29mm



**OT-222A
CHANGEABLE SPANNER TORQUE WRENCH
CLICK TYPE**

7PC Spanner size: 17, 19, 22, 24, 26, 27, 29mm



**OT-234
LARGE DIAMETER FUEL & AIR CONDITIONING
LINE DISCONNECT TOOL SET**

For fuel and air condition lines

Yellow : 5/16", Blue : 3/8", Golden : 1/2", Green : 5/8",
Black : 3/4", Red: 7/8"



**OT-234-01
LARGE DIAMETER FUEL & AIR CONDITIONING
LINE DISCONNECT TOOL**

For fuel and air condition lines

Red : 7/8"



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-234-02

LARGE DIAMETER FUEL & AIR CONDITIONING LINE DISCONNECT TOOL

For fuel and air condition lines

Black : 3/4"



OT-234-03

LARGE DIAMETER FUEL & AIR CONDITIONING LINE DISCONNECT TOOL

For fuel and air condition lines

Green : 5/8"



OT-234-04

LARGE DIAMETER FUEL & AIR CONDITIONING LINE DISCONNECT TOOL

For fuel and air condition lines

Golden : 1/2"



OT-234-05

LARGE DIAMETER FUEL & AIR CONDITIONING LINE DISCONNECT TOOL

For fuel and air condition lines

Blue : 3/8"



OT-234-06

LARGE DIAMETER FUEL & AIR CONDITIONING LINE DISCONNECT TOOL

For fuel and air condition lines

Yellow : 5/16"



OT-234A

4PC FUEL & AIR CONDITIONING LINE DISCONNECT TOOL SET

SIZE: Golden-1/2", Green-5/8", Black-3/4", Red-7/8".

- Simple push-on and pull -off action.
- 4 popular size cover most cars.
- Color keyed for easy identification .
- Durable and soft powder coating will not scratch tubing .
- Thin lips slide under tight hose quickly.
- Easy to hold with greasy hands.
- Strong,light and durable aluminum construction.



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-235 FUEL & TRANSMISSION LINE DISCONNECT TOOL SET

For fuel and air condition lines

Blue : 1/2", Golden : 3/8", Red : 5/16", Black : 1/4".



OT-235-01 FUEL & TRANSMISSION LINE DISCONNECT TOOLS

Ford Taurus & Escort oil cooler lines on AXOD & ATX transmissions.



OT-235-02 FUEL & TRANSMISSION LINE DISCONNECT TOOLS

1990 - current Ford Aerostar, Explorer, Bronco with 3/8" fuel lines.

1991 - current Ford E & F Series trucks with 3/8" fuel lines.

1992 - current Ford Ranger with 3/8" fuel lines.

1992 - current GM with 3/8" fuel lines.

1994 - 1997 Dodge Ram V6 & V8 trucks with 3/8" transmission oil cooler lines.

1995 - 1996 Dodge Ram Van / Wagon with 3/8" transmission oil cooler lines.



OT-235-03 FUEL & TRANSMISSION LINE DISCONNECT TOOLS

1990 - current Ford Aerostar, Explorer, Bronco with 5/16" fuel lines.

1991 - current Ford E & F Series trucks with 5/16" fuel lines.

1992 - current Ford Ranger with 5/16" fuel lines.

1992 - current GM with 5/16" fuel lines.



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-235-04

FUEL & TRANSMISSION LINE DISCONNECT TOOLS

1995 - 1996 Ford Mustang 1/4" fuel pump return line.



OT-235-05

FORD / MERCURY OIL COOLER LINE DISCONNECT TOOL

Disconnects transmission to radiator cooler line quick connect fittings.

Fits 1986 - current & Ford Taurus and Mercury Sable with AOD, ATX or AXOD transmissions.



OT-235-06

FUEL LINE COUPLING TOOL

Separates fuel line from fuel pressure regulator on applications with quick disconnect style couplings.

Fits 1990 - Current Ford Rangers & Explorers with 4.0L 6 cylinder engines.



OT-235A

FUEL & TRANSMISSION LINE DISCONNECT TOOL SET

For fuel and air condition lines

Blue : 1/2", Golden : 3/8", Red : 5/16", Black : 1/4".



OT-235B

4PC DISCONNECT TOOL SET

Disconnect Tools

1. Anodized aluminum

2. Separates fittings on fuel lines, fuel fitters & fuel tank return lines-size : Golden-3/8", Red-5/16", Black-1/4".

Oil Cooler Line Disconnect Tools

1. Anodized aluminum

2. Separates automatic transmission oil cooler lines on Ford Taurus and Escort with AXOD and ATX transmission-Size: Blue-1/2"



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-235C-68314

HEATER HOSE DISCONNECT TOOL- CHRYSLER & FORD

- Disconnect 3/4" and 5/8" heater hose quick connect fittings from heater core without damaging coupling retainer or hose.
- Applications: 1986-current Aerostar vans, 1991-current full size (E-series) vans, 1987-current Dodge Caravan & Plymouth Voyager Vans.
- Extended handle for easier access.



OT-235C-68325

FUEL LINE DISCONNECT TOOL-CHRYSLER

- Releases and installs fuel lines.
- Separates quick-disconnect fittings on fuel fitters & fuel lines.
- Applications: 1994 to current Chrysler LH vehicles and other Chrysler vehicles with quick connect fuel lines.
- Curve and extended length for reaching awkward fuel lines.



OT-235C-68326

GM TRANSMISSION OIL COOLER LINE DISCONNECT TOOL

- Specially designed to work in tight places. So simple to operate, you can do it with just one hand.
- After insertion into the quick-connect fitting on 1/2" dia. lines, a quarter turn of the tool quickly and easily releases the fitting on the transmission end of the transimssion-to-radiator oil cooler line.
- Works on 2WD and 4WD pickups and vans with electronic shift overdrive automatic transmissions: 1991-newer 4L80E transmissions, and 1993-newer 4L60E transimmissions.



OT-235C-6831

HYDRAULIC CLUTCH LINE DISCONNECT TOOL-GM

- 2 in 1 disconnect tool for removing clutch lines from slave cylinders during clutch master cylinder, slave cylinder or clutch assembly service.
- Bent end applications: 1996 to current full size 2WD and 4WD trucks, S-10s and S-15 Blazers/Jimmys with NVG3500 manual transmissions.
- Straight end applications: 1993 to current Pontiac Grand Prix , Olds Cutlass Supremes, Buick Regals, 1993-94 Chevy Luminas, 1995 to current Chevy Monte Carlos.



OT-235C-6833

GM HEATER LINE DISCONNECT TOOL

- Disconnect heater line from engine block/thermostat housing.
- Fits 1991-current GM 3.1 Liter, 3.4 Liter and 3.8 Liter engines.



OT-235C-6834

TOYOTA A/C DISCONNECT TOOL

- Used to release the plastic quick-connect fittings on the high-and low-pressure air conditioning lines at the evaporator.
- Services 1998-newer Toyota Corolla, 1998-newer Geo Prizm, 1998-1/2-newer Toyota Land Cruiser and Lexus LX470 , 1999-newer Toyota Avalon, Camry, Solara, and Sienna mini vans.
- Easy to use: Plastic fitting on A/C line is rotated to show access to the two release holes in the fitting; tool is inserted into release holes, and pushed to release the fitting.



OT-235C-6835

HYDRAULIC CLUTCH LINE DISCONNECT TOOL-FORD

- For removing hydraulic clutch lines from clutch slave cylinders on some manual transmissins.
- Applications: 1989 to current Mercury Cougars & Thunderbirds 1988 to current small trucks including ; Explorer, Ranger & Bronco II.



OT-248

A/C COMPRESSOR CLUTCH REMOVER KIT

Replace clutches found on Fs6, C171, 6P & 148 computer. Also GM R4 & A6, HR-6, DA-6 & V5 A/C compressors. And compressors of Sanden Sd505, 507, 508, 510, 575, 708 and 709.

2 & 3 hole puller plate fits most clutches, the mechanical force does the pulling job.



OT-293

DELUXE CLUTCH HUB PULLER / INSTALLER KIT

Kit contains a complete of A/C compressor clutch hub pullers and installers for GM, Ford, Chrysler and Imports.



BATTERY & ELECTRICAL TOOLS

www.cyhautotools.com



OT-295

PROFESSIONAL UNIVERSAL FLARING TOOL

- Tool works in two steps for thinwalled steel aluminium or copper pipes.
- For diamensions of 3/16"(4.75mm) and 1/4"(6mm).
- Fast manual flaring tool with minimal material wastage.



AT-505

18PCS RADIO REMOVAL TOOL SET


- 2pc Radio Removal U-Hook (New Blaupunkt)
- 1pc Special Pentagon Wrench (BMW)
- 4pc Radio Removal Keys(VW/Audi/Becker/Mercedes-Benz)
- 2pc Radio Removal Keys(Mercedes-Benz/Parsche/Becker)
- 2pc Radio Removal Keys(VW)
- 2pc Radio Removal Keys(New Skoda)
- 2pc Radio Removal Keys(New Becker)
- 2pc Radio Removal Keys(Ford/VW/Audi/Grundig/Blaupunkt)
- 1pc Allen Hex Wrench (BMW/Opel)
- Packing : Pouch Bag
- 12 pc / inner box, 96 pc / 12 / 13 / 1.15' CTN



AT-505A

20PCS RADIO REMOVAL TOOL SET

- 2pc Radio Removal U-Hook (New Blaupunkt)
- 1pc Special Pentagon Wrench (BMW)
- 4pc Radio Removal Keys(VW/Audi/Becker/Mercedes-Benz)
- 2pc Radio Removal Keys(Mercedes-Benz/Parsche/Becker)
- 2pc Radio Removal Keys(VW)
- 2pc Radio Removal Keys(New Skoda)
- 2pc Radio Removal Keys(New Becker)
- 2pc Radio Removal Keys(Ford/VW/Audi/Grundig/Blaupunkt)
- 1pc Allen Hex Wrench (BMW/Opel)
- 2pc Radio Removal Keys (Panasonic 2006)



AT-506

WIRE INSTALLATION TOOL

(730mmL) (1000mmL) (1500mmL)

Designed for quick installation of wires for stereo systems, alarm systems, cellular phones, vacuum hoses, and air shock supply lines. Conical shaped collet provides secure wire retention when threading wires. Will push or pull wires through openings.